

## REFERENCES

- Abbott, M., J. Bathurst, J. Cunge, P. O'Connell, and R. Rasmussen, 1986a. An Introduction to the European Hydrological System, "System Hydrologique European", (SHE), 1: A structure of a physically based, distributed modeling system. *Journal of Hydrology* 87, 61-67.
- Abbott, M., J. Bathurst, J. Cunge, P. O'Connell, and R. Rasmussen, 1986b. An Introduction to the European Hydrological System, "System Hydrologique European", (SHE), 2: History and philosophy of a physically based, distributed modeling system. *Journal of Hydrology* 87, 45-59.
- Adeel, Z., R.G. Luthy, and D.A. Edwards, 1995. Modeling transport of multiple organic compounds: Segregated transport-sorption/solubilization numerical technique, *Water Resour. Res.*, 31(8), 2035-2045.
- Ambrose, R.B., Wool, T.A., and Martin, J.L., 1993. The Water Quality Analysis Simulation Program, WASP5 Part A: Model Documentation. Environmental Research Laboratory, US Environmental Protection Agency, Athens, GA.
- Bierman, V.J., Jr., James, R.T., 1995. A preliminary modeling analysis of water quality in Lake Okeechobee, Florida: diagnostic and sensitivity analysis. *Water Res.* 29 (12): 2767-2775.
- Bonnet, M. P. and Wessen, K., 2001. ELMO, a 3-D water quality model for nutrients and chlorophyll: first application on a lacustrine ecosystem. *Ecological Modeling*, 141(1-3): 19-33.
- Bramble, J. H., J. E. Pasciak, and J. Xu, 1988. The analysis of multigrid algorithms for nonsymmetric and indefinite elliptic problems. *Math. Comp.*, 51:389-414, 1988.
- Brandt, A., 1984. Multigrid Techniques: 1984 Guide with Applications to Fluid Dynamics. Department of Applied Mathematics, The Weizman Institute of Sciences, Rehovot 76100, Israel.
- Brooks, S.C. (2001). Waste Characteristics of the Former S-3 Ponds and outline of Uranium Chemistry Relevant to NABIR FRC Studies. Available from: [http://public.ornl.gov/nabirfrc/other/brooks\\_rpt.pdf](http://public.ornl.gov/nabirfrc/other/brooks_rpt.pdf) (date of access: 15 Feb. 2005).
- Brown, L.C., and Barnwell, T.O., 1985. Computer Program Documentation for the Enhanced Stream Quality Model QUAL2E, Athens, GA. EPA/600/3-85/065.
- Brown, L.C., and Barnwell, T.O., 1987. The Enhanced Stream Water Quality Models QUAL2E and QUAL2E-UNCAS: Documentation and User Manual. US Environmental Protection Agency, Report No. EPA/600/3-87/007.
- Brun, A., and P. Engesgaard, 2002. Modeling of transport and biogeochemical processes in pollution plumes: literature review and model development, *J. Hydrol.*, 256, 211-227,.
- Burns & McDonnell, 2000. 2D Hydrodynamic Modeling Stormwater Treatment Area 3/4 and East

WCA-3A Hydropattern Restoration, January 2000.

Burns & McDonnell, 2003. Long Term Plan for Achieving Water Quality Goals, October 27, 2003.

Carroll, R., A. James, J. Warwick, and J. Miller, 2004. Modeling erosion and overbank deposition during extreme flood conditions on the Carson River, Nevada. *Journal of Hydrology*, 297(1-4): 1-21

Cederberg, G.A., R.L. Street, and J.O. Leckie, 1985. A groundwater mass transport and equilibrium chemistry model for multicomponent systems, *Water Resour. Res.*, 21, 1095-1104.

Cerco, C., and Cole, T., 1993. Three-dimensional eutrophication model of Chesapeake Bay. *J. Environ. Eng.* 119 (6): 1006–1025.

Cerco, C.F., and Cole, T., 1995. User's Guide to the CE-QUAL-ICM Three-Dimensional Eutrophication Model, Release Version 1.0. Technical Report EL-95-15, US Army Engineer Waterways Experiment Station, Vicksburg, MS, 1995.

Cerco, C., 2000. Phytoplankton kinetics in the Chesapeake Bay eutrophication model. *Water Qual. Ecosystem Modeling* 1: 5–49.

Cerco, C.F, Noel, M.R., and Tillman, D.H., 2004. A practical application of Droop nutrient kinetics (WR 1883). *Water Research*, 38: 4446–4454.

CH<sub>2</sub>M Hill, 1989. Construction and Testing of the Aquifer Storage Recovery (ASR) Demonstration Project for Lake Okeechobee, Florida. South Florida Water Management District, P. O. Box 24680, 3301 Gun Club Road, West Palm Beach, Florida 33416-4680. Prepared by CH<sub>2</sub>M Hill, Hillsboro Executive Center North, 800 Fairway Drive, Suite 350, Deerfield Beach, Florida 33441, December 1989. SEF24270.BO.61. Volume 1 Engineering Report.

Cheng, J. R., H. P. Cheng, and G. T. Yeh. 1996a. A Lagrangian-Eulerian Method with Adaptively Local Zooming and Peak/Valley Capturing Approach to Solve Two-Dimensional Advection-Diffusion Transport Equations. *International J. of Numerical Methods in Engineering*, Vol. 39, No. 6, 987-1016.

Cheng, H. P., J. R. Cheng, and G. T. Yeh, 1996b. A particle tracking technique for the Lagrangian-Eulerian finite element method in multi-dimensions. *International J. Numerical Methods in Engineering* in January, Vol. 39, No. 7, 1115-1136.

Cheng, H. P., J. R. Cheng, and G. T. Yeh, 1998a. A Lagrangian-Eulerian Method with Adaptively Local Zooming and Peak/Valley Capturing Approach to Solve Three-Dimensional Advection-Diffusion Transport Equations. *International Journal of Numerical Methods in Engineering*, 41:587-615.

Cheng, H. P., G. T. Yeh, M. H., Li, J. Xu, and R. Carsel. 1998b. A study of incorporating the multigrid method into the three-dimensional finite element discretization. *International Journal of Numerical Methods in Engineering*, Vol. 41, 499-526.

Cheng, H.-P., Yeh, G.-T., and Cheng J.-R., 2000. A numerical model simulating reactive transport in shallow water domains: model development and demonstrative applications. *Advances in Environmental Research* 4: 187-209.

Cheng, H. P., H. C. Lin, G. T. Yeh, E. Edris, and M. Granat, 2004. Using WASH123D to Design Spreader Canals for Water Management in Watersheds. CD. Proc. World Water & Environmental Resources Congress 2004, Salt Lake City, June 27-July 1, 2004. ASCE, 1801 Alexander Bell Drive, Reston, VA 20191-4400.

Cheng, H-P., J-R., Cheng, D. R. Richards, and G. T. Yeh, 2006. Numerical Strategies to Model Surface and Groundwater Interactions for the Biscayne Bay Coastal Wetlands Project Alternatives. Proc. (CD), XVI International Conferences on Computational Method in Water Resources, Copenhagen, Denmark, June 19-22, 2006.

Chilakapati, A., 1995. RAFT: A Simulator for ReActive Flow and Transport of Groundwater Contaminants, PNL Report 10636.

Chilakapati, A., T. Ginn, and J. Szecsody, 1998. An analysis of complex reaction networks in groundwater modeling, *Water Resour. Res.*, 34(7), 1767-1780.

Ewen, J., G. Parkin, and P. E. O'Connell, 2000. SHETRAN: Distributed River Basin Flow and Transport Modeling System. *J. Hydrologic Engineering*, 5(3):250-258.

Falconer, R.A., and Lin, B., 1997. Three-dimensional modeling of water quality in the Humber estuary. *Water Res.* 31(5): 1092-1102.

Fang, Y. L., Yeh, G. T. and Burgos, W. D., 2003. A Generic Paradigm to Model Reaction-Based Biogeochemical Processes in Batch Systems. *Water Resources Research* 33(4): 1083-1118.

Fish, J.E., 1988, Hydrogeology, aquifer characteristics, and ground-water flow of the Surficial Aquifer system, Broward County, Florida: U.S. Geological Survey Water Resources Investigations Report 87-4034, 92 p.

Froehlich, D. C., 2002. User's Manual for FESWMS Flo2DH, Release 3, Publication No. FHWA-RD-03-053, Federal Highway Administration, September 2002.

Gerritsen, H., Vos, R.J., Kaaij, T., Laneand A., and Boon, J.G., 2000. Suspended sediment modeling in a shelf sea (North Sea). *Coastal Engineering*, 41:317-352

Harris, C.K., and Wiberg, P.L, 2001. A two-dimensional, time-dependent model of suspended sediment transport and bed reworking for continental shelves. *Computers & Geosciences* 27: 675–690.

Harvey, J.W., et. Al, 2002, Interactions between Surface Water and Ground Water and Effects on Mercury Transport in the North-central Everglades: U.S. Geological Survey Water Resources

Investigations Report 02-4050, 91 p.

Hergarten, P. S. G. and H. J. Neugebauer, 1995, An integrated model for the surface runoff and the infiltration of water, EOS, transc. Am. Geophys. Union. Vol. 76, No. 46, F320.

HydroGeoLogic, Inc., 2001. MOD-HMS: A Comprehensive MODFLOW-based Hydrologic Modeling System. Version 1.1. Document and Users Guide, HydrolGeoLogic Inc., Herndon, Virginia.

Keum, D.K., and P.S. Hahn, 2003. A coupled reactive chemical transport model: mixing cell model with two solid phases and its application, Computers & Geosciences, 29, 431-445.

Leendertse, J.J., 1987, Aspects of SIMSYS2D, a system for two-dimensional flow computation: Santa Monica, Calif., Rand Corporation Report R-3572-USGS, 80 p.

Lensing, H. J., M. Voyt, and B. Herrling, 1994. Modeling of biologically mediated redox processes in the subsurface, J. Hydrol., 159, 125-143.

Li, M. H., H. P. Cheng, and G. T. Yeh, 2000. Solving 3-d subsurface density-dependent flow and transport problems with an adaptive multigrid approach. ASCE J. Hydrologic Engineering. Vol. 5, No. 1, 74-81.

Li, M. H., H. P. Cheng, and G. T. Yeh, 2005. An adaptive multigrid approach for the simulation of contaminant transport in 3D subsurface. Computer and Geoscience. 31:1028-1041.

Lin H. C., D. R. Richards, G. T. Yeh, J. R. Cheng, H. P. Cheng, and N. L. Jones, 1997. FEMWATER: A Three-Dimensional Finite Element Computer Model for Simulating Density-Dependent Flow and Transport in Variably Saturated Media. Report CHL-97-12, U. S. Army Corps of Engineers, 3909 halls Ferry Road, Vicksburg, MS 39180-6199.

Lin, H-C J., H. P. Cheng, E. V. Edris, and C. M. Hansen, 2004. Modelign the Water Flow of the Biscayne Bay Coastal Wetland Watershed System for Ecosystem Restoration. Poster Presentation. First National Conference on Ecosystem Restoration. Orlando, Florida, December 6-10, 2004. IFAS, University of Florida, Gainesville, FL.

Liu, C., and T. Narasimhan, 1989. Redox-controlled multiple-species reactive chemical transport, 1, Model development, Water Resour. Res., 25(5), 869-882.

Lung, W.S., 1986. Assessing phosphorus control in the James River basin. J. Envir. Engrg. Div. ASCE 12 (1): 44-60.

Lung, W.-S., and Larson, C.E., 1995. Water quality modeling of the upper Mississippi River and Lake Pepin. J. Environ. Eng. 121(10): 691-699.

MacDonald I., Baines M., Nichols N. and Samuels P. (1997). "Analytical benchmark solutions for open-channel flows", Journal of Hydraulic Engineering, ASCE, Vol. 123, No.11, November, 1997.

- MacQuarrie, K.T.B., E.A. Sudicky, and E.O. Frind, 1990. Simulation of biodegradable organic contaminants in groundwater, 1, Numerical formulation in principal directions, *Water Resour. Res.*, 26, 207–222.
- McAvoy, D.C., Masscheleyn, P., Peng, C., Morrall S.W., Casilla, A.B., Lim, J.M.U., and Gregorio, E.G., 2003. Risk assessment approach for untreated wastewater using the QUAL2E water quality model, *Chemosphere* 52: 55–66
- McCuen, R. H. 1989. *Hydrologic Analysis and Design*, Prentice-Hall, Englewood Cliffs, NJ.
- McDonald, E.T., and Cheng, R.T., 1994. Issues related to modeling the transport of suspended sediments in Northern San Francisco Bay, California. *Proceedings of the 3rd International Conference of Estuarine and Coastal Modeling*, 551-564.
- Ng, A.W.M., and Perera, B.J.C., 2003. Selection of genetic algorithm operators for river water quality model calibration, *Engineering Applications of Artificial Intelligence* 16: 529–541.
- Ning, S.K., Chang, N.B., Yang, L., Chen H. W., and Hsu, H. Y., 2001. Assessing pollution prevention program by QUAL2E simulation analysis for the Kao-Ping River Basin, *Taiwan Journal of Environmental Management* (2001) 61: 61–76.
- Norton, K. and I. Orlob, 1973. *RMA-2, version 1: U.S. Army Corp of Engineers, Walla-Walla District, Walla-Walla, Washington.*
- Pace, M.N., P.M. Jardine, T.L. Mehlhorn, J. Parker, F. Zhang, S. Graves. 2005. Quantification of the fate and transport of uranium at the U.S. Department of Energy’s NABIR site, Oak Ridge, TN. *J. of Cont. Hydrol.* (in preparation).
- Park, S.S., and Lee, Y.S., 2002. A water quality modeling study of the Nakdong River, Korea. *Ecological Modeling* 152: 65–75.
- Park, S.S., Na, Y. and Uchrin, C.G., 2003. An oxygen equivalent model for water quality dynamics in a macrophyte dominated river. *Ecological Modeling*, 168(1-2)-12.
- Parkhurst, D. L., 1995. User’s guide to PHREEQC, A computer model for speciation, reaction-path, advective-dispersive transport and inverse geochemical calculations, U.S. Geol. Surv. Water Resour. Invest. Rep., 95-4227.
- Parkhurst, D. L., and C.A. J. Appelo, 1999. User’s guide to PHREEQC (version 2)-A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations, U.S. Geol. Surv. Water Resour. Invest. Rep., 99-4259.
- Prandle, D., Hargreaves, J.C., McManus, J.P., Campbell, A.R., Duwe, K., Lane, A., Mahnke, P., Shimwell, S., and Wolf, J., 2000. Tide, wave and suspended sediment modeling on an open coast – Holderness. *Coastal Engineering*, 41: 237-267.

Roesner, LA, Giguere, PR, and Evenson, DE, 1981. Computer program documentation for the stream quality model QUAL-II. Report EPA 600y9-81-014. Athens, Georgia, USA: USEPA; 1981.

Ruge, J. W. and K. Stuben, 1985. Efficient solution of finite difference and finite element equations by algebraic multigrid (AMG). Multigrid Methods for Integral and Differential Equations, Paddon, D.J., Holstein H., eds., The Institute of Mathematics and its Applications Conference Series, New Series Number 3, pp. 169-212, Clarendon press, Oxford, 1985.

Ruge, J. W. and K. Stuben, 1987. Algebraic multigrid. In S.~F. McCormick, editor, Multigrid methods, Frontiers in applied mathematics, Vol 5, pages 73--130, Philadelphia, Pennsylvania, 1987. SIAM.

Rubin, J., 1983. Transport of reacting solutes in porous media: relation between mathematical nature of problem formulation and chemical nature of reactions. Water Resours. Res., 19: 493-502.

Saiers, J.E., H. Guha, P. Jardine, and S. Brooks, 2000. Development and evaluation of a mathematical model for the transport and oxidation-reduction of CoEDTA, Water Resour. Res., 31(11), 3151-3165.

Segel, I. H., 1975. Enzyme Kinetics. John Wiley & Sons, Inc. 957 pp.

SFWMD (South Florida Water Management District), 2001. Two dimensional Hydraulic Analysis for Cell 3 of STA-2, an SAV-dominated Treatment Cell, March 21, 2001.

SFWMD (South Florida Water Management District), 2002. Northern Palm Beach County Comprehensive Water Management Plan, Planning Document Volume I.

SFWMD (South Florida Water Management District), 2004a. 2004 Everglades Consolidated Report, West Palm Beach, FL

SFWMD (South Florida Water Management District) 2004b. Stormwater Treatment Area 6 Operation Plan, April, 2004, West Palm Beach FL.

SFWMD (South Florida Water Management District), 2005. Regional Simulation Model (RSM): Theory Manual. South Florida Water Management District (SFWMD), Office of Modeling, 3301 Gun Club Road, West Palm Beach, FL 33406.

Shen, Y., Zheng, Y., Komatsu, T., and Kohashi, N., 2002. A three-dimensional numerical model of hydrodynamics and water quality in Hakata Bay. Ocean Engineering, 29 (4): 461-473.

Singh, V. P., 1996, Kinematic Wave Modeling in Water Resources, John Wiley & Sons, Inc.

Somlyody, L., Henze, M., Koncsos, L., Rauch, W., Reichert, P., Shanahan, P. and Vanrolleghem, P., 1998. River water quality modeling III: future of the art. Water Research 38(11): 253-260.

Steeffel, C.I., and A.C. Lasaga, 1994. A coupled model for transport of multiple chemical species and kinetic precipitation/dissolution reactions with application to reactive flow in single phase hydrothermal systems, *Am. J. Sci.*, 294, 529-592.

Steeffel, C. I., and Cappellen, V.P., 1998. Preface: Reactive transport modeling of natural systems. *J. Hydrol.* 209: 1–7.

Stüben, K. and U. Trottenberg, 1982. Multi-grid methods: Fundamental algorithms, model problem analysis and applications. *Multigrid Methods* (W. Hackbusch and U. Trottenberg, eds.), Springer Verlag, Berlin, 1982.

Stüben, K., 1999a. Algebraic multigrid (AMG): experiences and comparisons, GMD Rep. 53 (1999), St. Augustin.

Stüben, K., 1999b. A review of algebraic multigrid, GMD Rep. 69 (1999), St. Augustin.

Sutron Corporation, 2004. STA-2 two-dimensional Hydraulic Modeling Final Report, prepared for SFWMD, May 2004.

Swain, E. D., Wolfert M. A., Bales J. D., and Goodwin C. R., 2004. Two-Dimensional Hydrodynamic Simulation of Surface-Water Flow and Transport to Florida Bay through the Southern Inland and Coastal Systems (SICS), U.S. Geological Survey Water-Resources Investigations Report 03-4287, 2004.

Tebes-Stevens, C., A. J. Valocchi, J. M. VanBriesen, and B. E. Rittmann, 1998. Multicomponent transport with coupled geochemical and microbiological reactions: Model description and example simulations, *J. Hydrol.*, 209, 8-26.

Thomann R. V., 1998. The future “golden age” of predictive models for surface water quality and ecosystem management. *Journal of Environmental Engineering*, ASCE 124(2): 94-103.

Tompson, A.F.B., 1993. Numerical Simulation of Chemical Migration in Physically and Chemically Heterogeneous Porous Media, *Water Resour. Res.*, 29, 3709-3726.

Tufford, D.L., and McKellar, H.N., 1999. Spatial and temporal hydrodynamic and water quality modeling analysis of a large reservoir on the South Carolina (USA) coastal plain. *Ecological Modeling*, 114 (2-3): 137-173.

VanderKwaak, J. E., 1999. Numerical Simulation of Flow and Chemical Transport in Integrated Surface-Subsurface Hydrologic Systems. Ph.D. Thesis, Dept. of Earth Science, University of Waterloo, Waterloo, Ontario, Canada.

Wagner, R.A., Tisdale, T.S., and Zhang, J., 1996. A framework for phosphorus transport modeling in the Lake Okeechobee watershed evaluation. *Water Res. Bull.* 32 (1): 57–73.

Walton, R., E. Wexler, and R. Chapman, 1999. An integrated groundwater-open channel flow

model (MODNET). Tech. Report, West Consultants, Bellevue, Washington.

Wang, J. D. and J. J. Connor, 1975, Mathematical Modeling of Near Coastal Circulation, MITSG 75-13, Massachusetts Institute of Technology, Cambridge, Massachusetts 02109.

Wanielista, M., W. Milon, H. Shan, O. Nnadi, D. Finnoff, and G. Yeh, 2004. Evaluation of the Storage Value of Reservoirs in South Florida. Stormwater Management Academy, University of Florida, Orlando, FL 32816. June 2004.

Wigmosta, M. S. and Perkins, 1997. A GIS-Based Modeling System for Watershed Analysis. Final Report to the National Council of the Paper Industry for Air and Stream Improvement. 160 pp.

Wood, B.D., C.N. Dawson, J.E. Szecsody, and G.P. Streile, 1994. Modeling contaminant transport and biodegradation in a layered porous media system, *Water Resour. Res.*, 30(6), 1833– 1845.

Wu F., Shen H.W. and Chou Y., 1999. Variation of Roughness Coefficients for Unsubmerged and Submerged Vegetations., *ASCE Journal of Hydrologic Engineering*, Vol. 125, No. 9, September 1999.

Xu, J. and L. Zikatanov, 2000. "A Monotone Finite Element Scheme for Convection Diffusion Equations", *Math. Comp.*, 68:1429-1446, 2000

Yang, M.D., Sykes, R.M., and Merry, C.J., 2000. Estimation of algal biological parameters using water quality modeling and SPOT satellite data *Ecological Modeling* 125: 1–13

Yeh, G. T., 1969. Turbulent Diffusion by Forced Convection. Ph.D. Dissertation. School of Civil and Environmental Engineering, Cornell University, Ithaca, New York. 124 pp.

Yeh, G. T., Verma, A. P., and F. H. Lai, 1973. Unsteady temperature predictions in cooling ponds, *Water Res. Res.* 9:1555 63.

Yeh, G. T., 1987. 3DFEMWATER: A Three-Dimensional Finite Element Model of Water Flow through Saturated-Unsaturated Porous Media. Report 2904, Oak Ridge National Laboratory, U.S.A.

Yeh, G. T., 1990. A Lagrangian-Eulerian method with zoomable hidden fine-mesh approach to solving advection-dispersion equations, *Water Resources Res.* Vol. 26, No. 6, 1133-1144.

Yeh, G.T. and V.S. Tripathi, 1991. A model for simulating transport of reactive multispecies components: model development and demonstration, *Water Resour. Res.*, 27, 3075-3094.

Yeh, G. T., J. R. Chang, and T. E. Short. 1992. An Exact Peak Capturing and Essentially Oscillation-Free Scheme to Solve advection-dispersion-reactive transport equations. *Water Resour. Res.* Vol. 28, No. 11, 2937-2951.

Yeh, G. T., J. R. Chang, J. P. Gwo, H. C. Lin, W. Martin, and D. Richards. 1994. 3DSALT: A Three-dimensional Salt Intrusion Model in Saturated-Unsaturated Media. Instruction Report HL-94-



1. Waterway Experiment Station, U. S. Army Corps of Engineers, Vicksburg, MS.

Yeh, G. T., J. R. Chang, H. P. Cheng, and C. H. Sung. 1995. An adaptive local grid refinement based on the exact peak capturing and oscillation free scheme to solve transport equations, *Computers and Fluids*, Vol. 24, No. 3, 293-332.

Yeh, G. T., J. R. Cheng, M. H. Li, H. P. Cheng, and H. C. Lin, 1997. COSFLOW: A Finite Element Model Coupling One-Dimensional Canal, Two-Dimensional Overland, and Three-Dimensional Subsurface Flow. Technical Report CHL-97-20. U. S. Army Corps of Engineers, Waterways Experiment Station, 39909 Halls Ferry Road, Vicksburg, MS 39180-6199. 188 pp.

Yeh, G. T., H. P. Cheng, J. R. Cheng, and Jerry H. Lin. 1998. A Numerical Model to Simulate Water Flow and Contaminant and Sediment Transport in Watershed Systems of 1-D Stream-River Network, 2-D Overland Regime, and 3-D Subsurface Media (WASH123D: Version 1.0). Technical Report CHL-98-19. Waterways Experiment Station, U. S. Army Corps of Engineers, Vicksburg, MS 39180-6199.

Yeh, G.T., Burgos, W.D., and Zachara, J.M., 2001a. Modeling and measuring biogeochemical reactions system consistency, data needs, and rate formulation. *Advances in Environmental Research*, 5: 219-237.

Yeh, G.T., M.D. Siegel, and M.H. Li, 2001b. Numerical modeling of coupled fluid flows and reactive transport including fast and slow chemical reactions, *J. Contam. Hydrol.*, 47, 379-390.

Yeh, G. T., G. B. Huang, and H. C. Lin, 2003. A first principle, physics-based watershed model of various temporal and spatial scale. Proc. (CD) World Water Resources and Environment Conference, ASCE, Philadelphia, June 23-26, 2003.

Yeh, G.T., J.T. Sun, P.M. Jardine, W.D. Burger, Y.L. Fang, M.H. Li, and M.D. Siegel, 2004. HYDROGEOCHEM 5.0: A Three-Dimensional Model of Coupled Fluid Flow, Thermal Transport, and HYDROGEOCHEMical Transport through Variable Saturated Conditions - Version 5.0, ORNL/TM-2004/107, Oak Ridge National Laboratory, Oak Ridge, TN 37831.

Yeh, G.T., G. B. Huang, H. P. Cheng, F. Zhang, H. C. Lin, E. Edris, and D. Richards. 2005. A first principle, physics-based watershed model: WASH123D, in *Watershed Models*. Eds. By Singh VP and Frevert DK, CRC Press, Boca Raton, FL, September 2005.

Yen, B. C., 1992. "Hydraulic resistance in open channels." Channel flow resistance: Centennial of Manning's formula, B. C. Yen, ed., Water Resources Publications, Littleton, Colo.

Zeng, W., and Beck, M.B., 2003. STAND, a dynamic model for sediment transport and water quality. *Journal of Hydrology* 277: 125-133.

Zhang, F. 2005. A New Paradigm of Modeling Watershed Water Quality. Ph.D. Dissertation. Department of Civil and Environmental Engineering, University of Central Florida, Orlando, FL 32816.

Zheng, L., Chen, C. and Zhang, F.Y., 2004. Development of water quality model in the Satilla River Estuary, Georgia. *Ecological Modeling*, 178 (3-4): 457-482.